

MFC-J6560DW

A3 Business INKvestment Inkjet Multi-Function



The Brother INKvestment Business MFC-J6560DW is an A3 business inkjet multi-function for offices that want the benefits of A3 in a compact footprint. It offers fast print speeds up to 31ppm² and automatic 2-sided (duplex) printing up to A3, while the 50-sheet ADF lets you scan documents up to A3 so larger spreadsheets, charts and plans are easy to handle in-house.

A 250-sheet paper tray and rear manual feed slot give you capacity and flexibility for everyday jobs, and up to one year of ink in-box⁴ helps reduce interruptions. With wired and wireless connectivity plus mobile and cloud printing, the MFC-J6560DW fits neatly into the office and keeps everyday paperwork moving.

General	
Engine	Colour Inkjet
Warranty	2 Year Return To Base
Carton Contents	Printer, Quick Setup Guide, Power Cord, Telephone Line Cord and Adaptor, Ink Cartridges - up to 2780 BK pages. up to 3500 C/M/Y pages. Based on ISO 24711 pattern/normal
Display	
LCD Display	6.8cm Colour LCD (Touchscreen)
Shortcuts	18
Printer	
Standard Memory	512MB
Print Speed	31/31 ipm (A4 Mono/Colour: based on ISO/IEC 24734) 14/14 ipm (A3 Mono/Colour: based on ISO/IEC 24734)
2 Sided Print Speed	Up to 22/22 ipm (A4 Mono/Colour, based on ISO/IEC 24734) Up to 14/14 ipm (A3 Mono/Colour, based on ISO/IEC 24734)
2 Sided Print	Automatic up to A3/LGR
A3 Print	Yes (Duplex)
Emulation	GDI
Printer Resolution	Up to 1200 x 4800 dpi
Printer OS Compatibility	Windows 11, Windows 10 (32&64bit), Windows Server 2022, Windows Server 2019, Windows Server 2016 macOS 13-26 ³ Linux rpm, deb
First Print Out Time	Approx: 5.0 sec/5.0 sec (Colour/Mono) from Sleep Mode
Quiet Mode	Yes
Recommended Monthly Print Volume	250 to 2,500 pages
Paper Handling	
Standard Paper Capacity	Upper Tray: Up to 250 Sheets
Manual Feed Slot	1 Sheet
Envelopes Input	Up to 1 envelopes (Manual Feed Slot)
Output Paper Capacity	Up to 100 sheets, Up to 50 sheets larger than A4/LTR
ADF	Up to 50 sheets
Media Weights Paper Tray	
Media Weights Paper Tray	Upper Tray: 64 - 220 gsm
Media Weights Manual Feed Slot	
Media Weights Manual Feed Slot	64 - 220 gsm
Media Weights ADF	
Media Weights ADF	64 - 120 gsm
Media Weights Duplex	
Media Weights Duplex	A4: 64 - 120 gsm Larger A4: 64 - 90 gsm
Media Size Paper Tray	
Media Size Paper Tray	Upper Tray Landscape: A4, LTR, EXE Upper Tray Portrait: A3, LGR, LGL, Folio, A5, A6, Photo(10x15cm/4x6in), Indexcard(13x20cm/5x8in), Photo-L(9x13cm/3.5x5in), Photo-2L(13x18cm/5x7in), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal
Media Size Manual Feed Slot	
Media Size Manual Feed Slot	Landscape: A4, LTR, EXE Portrait: A3, LGR, LGL, Folio, A5, A6, Photo(10x15cm/4x6in), Indexcard(13x20cm/5x8in), Photo-L(9x13cm/3.5x5in), Photo-2L(13x18cm/5x7in), C5, Com-10, DL Envelope, Monarch, Mexico Legal, India Legal
Media Size ADF	
Media Size ADF	Width 105 to 297 mm, Length 148 to 431 mm (simplex), long paper length: 900mm
Media Size Duplex	
Media Size Duplex	PC Print: A3, LGR, LGL, Folio, A4, LTR, EXE, A5, Mexico Legal, India Legal Copy: A3, LGR, LGL, Folio, A4, LTR, A5, Mexico Legal, India Legal
Media Size Scanner Glass	
Media Size Scanner Glass	Up to 297(W)/431.8(L)mm
Media Types Paper Tray	
Media Types Paper Tray	Upper Tray: Plain, Inkjet, Glossy, Recycled
Media Types Manual Feed Slot	
Media Types Manual Feed Slot	Plain, Inkjet, Glossy, Recycled
Media Types ADF	
Media Types ADF	Plain, Recycled
Media Types Duplex	
Media Types Duplex	Plain, Recycled
Digital Copier	
Copier Speed	
Copier Speed	Simplex: 25/16 ipm (Mono/Colour: based on ISO/IEC 24735)
First Copy Out Time	
First Copy Out Time	6/5 sec(Colour/Mono) (based on ISO/IEC 24735 Annex D)
2 Sided Copy	
2 Sided Copy	Simplex Scan to Duplex Print
Copier Resolution	
Copier Resolution	(Print) Max. 1200x4800 dpi, (Scan) Max. 600x600 dpi (FB) (Print) Max. 1200x4800 dpi, (Scan) Max. 300x600 dpi (ADF)
Reduction-Enlargement Ratio	
Reduction-Enlargement Ratio	25 - 400 percent in 1 percent increments

Copier N-in-1	2 in 1, 2 in 1(ID) & 4 in 1 (A4/A3/LTR/LGR Mono/Colour)
Copier Poster	Yes (3x3, 2X2, 1x2)
Copier Multi Sort	Yes
Copier Multi Stack	Up to 999 copies
Digital Scanner	
Scanner Colour/Mono	Colour
Scanner Colour Depth	48 bit input / 24 bit output colour
Scanning Technology	CIS
Scanner Speed	Simplex: A4 portrait: 25ipm/25ipm A4 landscape: 19ipm/19ipm A3: 13ipm/13ipm @ (Mono/Colour) ISO/IEC 17991
Scanner Resolution (Optical)	From Glass: 1200x2400dpi(mono) / 1200x1200dpi(colour) From ADF: 600x600dpi(mono) / 300x600dpi(colour)
Scanner Resolution (Interpolated)	For Win 10/11, up to 19200x19200 dpi with Scanner Utility
Scanner Daily Duty Cycle	
A3 Scan	Yes (Simplex)
Scanning Area	Flatbed: 295(W) x 430(L)mm ADF: 295(W) x 430(L)mm
Scanner Grey Scale	256 levels
Scan to Email Client	Yes
Scan to Email Server	Yes
Scan to OCR	Yes
Scan to Image	Yes
Scan to File	Yes
Scan to FTP	FTP
Scan to Media	USB memory drive
Scan to Network Folder	Windows Folder only
Scan To Cloud	Yes - See Web Connect
Network Scan	Windows/Mac
Scanner OS Compatibility	Windows 11, Windows 10 (32&64bit) macOS 13-26 ³ Linux rpm, deb
Twain Compliant	Windows: TWAIN or WIA for Windows 11, Windows 10 Mac: NA (Use AirPrint) Linux: SANE
Fax	
Modem Speed	33,600bps (Fax)
2 Sided Fax	Receive Only
Colour Faxing	Document Send/Receive: Yes/Yes
ITU-T Group compatibility	Super G3
Telstra Duet Compatible	Yes
Speed Dials	100 x 2 locations
ECM	Yes
Out of Paper Reception	Up to 150 pages (ITU-T Test Chart)
Broadcasting	250 locations (200+50)
Automatic Reduction	Yes
Fax Forwarding	To Fax number or Email Address
Fax Features	
PC Fax	Send/Receive from Windows Send only from MAC / Linux (Network / USB)*
Internet Fax	Yes - T37 protocol
Direct Print / Scan Feature	
Digital-Media Type	USB Flash Memory
Digital-Media Spec	USB Flash Memory: Up to 256GB Full-Speed USB 2.0. USB Mass Storage standard. Supported formats: FAT12/FAT16/FAT32/exFAT
Digital-Media Format	Print: JPEG Scan to USB: JPEG/PDF (colour), TIFF/PDF (B&W)
Direct USB	Print/Scan

Software	
Software Available	Windows: Nuance Paperport 14SE and OCR, iPrint&Scan, Status Monitor, BRAdmin Light, BRAdmin Professional, PC Fax Send/Receive Mac: iPrint&Scan, PC Fax Send
SnapDragon	Yes
iPrintScan Desktop	Windows/Mac
Light Solutions	Optional (Barcode Print+, Secure Print+, Request Help, Order Supplies, Remote Panel, Barcode Utility, CustomUI) (Apply for Activation Code from Brother)
Kofax Compatible	AutoStore, ControlSuite, Equitrac
Driver Deployment Wizard	Windows only
Connectivity	
Interface	Hi-Speed USB 2.0, 10/100Base-TX/1000Base-T Ethernet, 2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct IEEE 802.11a/g/n
USB Interface	Hi-Speed USB 2.0
Wired Interface	10Base-T/100Base-TX/1000Base-T Ethernet
Wireless Interface	2.4GHz IEEE 802.11b/g/n Wireless, 5GHz IEEE 802.11a/n Wireless, Wi-Fi Direct IEEE 802.11a/g/n
Wi-Fi Direct	Yes - Up to 4 connections
USB Host	Direct Print/Scan External IC Card Reader (Front)
Networking	
Wireless Mode	2.4GHz IEEE 802.11b/g/n (Infrastructure), 5GHz IEEE 802.11g/n (Infrastructure), IEEE 802.11a/n (Wi-Fi Direct)
Wireless Setup Support Utility	Wi-Fi Protected Setup (WPS)
Network Protocols IPV4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLNMR responder, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, Web Services (Print/Scan), CIFS Client, SNMP Client, LDAP, HTTP Server, Syslog
Network Protocols IPV6	NDP, RA, mDNS, LLNMR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP Client, FTP Server, SNMPv1/v2c/v3, TFTP server, Web Services (Print/Scan), POP3/IMAP4/SMTP Client, CIFS Client, SNMP Client, DAP, ICMPv6, HTTP Server, Syslog
Email Alerts	E-mail Notification and Reports
Network Management Utilities	
Network Management	Windows: BRAdmin Light ¹ , Web Base Management, BRAdmin Professional ¹ , Network Remote Setup Mac: Web Base Management Linux: Web Base Management
Web Based Management	Yes
BRAdmin Professional	Windows only
Security	
Wired Security	APOP, SMTP-AUTH, SSL/TLS (IPP, IPSP, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTP), SNMP v3, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0(SMTP, POP3, IMAP4), Kerberos, IPsec
Wireless Security	APOP, SMTP-AUTH, SSL/TLS (IPP, IPSP, HTTP, HTTPS, SMTP, POP3, IMAP4, FTP, LDAP, LDAPS, TFTP, TFTP), SNMP v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), OAuth 2.0(SMTP, POP3, IMAP4), Kerberos, IPsec
Wireless Security Protocols	SSID (32 chr), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only.
LDAP	Lookup Address Book
IPv4-Filter	IPv4, IPv6
Secure Function Lock	(Version.3.0) Up to 100 registered users
OAuth	Ver 2.0
SMB	1.0 / 2.0 / 2.1/ 3.0 / 3.02 / 3.1.1
TLS-SSL	Open SSL: NA TLS: 1.0, 1.1, 1.2, 1.3

Mobile / Web Printing	
Mobile Connect	IOS/Android
Airprint	Yes
Mopria	Yes
IPP Everywhere	Yes
Google ChromeOS	Print, Scan
Android Print Service Plugin	Yes
Mobile Applications	Print Service Plugin, Mobile Connect
Web Connect	Scan To/Download and Print from: Google Drive, Evernote, DropBox, Box, OneDrive, OneNote, SharePoint Online
Brother Apps	Scan to PowerPoint, Scan to Excel, Scan to Word, Scan to Searchable PDF, Easy Scan to Email, Fax Forward to Cloud / Email, Scan to Mobile, Cloud Secure Print-Pull, Email Print
Universal Print	Yes
Options	
Optional Paper	BP-71GA3 - 20 Sheets (260gsm) Glossy Paper (A3), BP-71GA4 - 20 Sheets (260gsm) Glossy Paper (A4), BP-71GP20 - 20 Sheets (260gsm) Glossy Paper 6in x 4in, BP-60MA3 - 25 Sheets (145gsm) Matte Paper (A3), BP-60MA - 25 Sheets (145gsm) Matte Paper (A4), BP-60PA3 - 250 Sheets (72.5gsm) Plain Paper (A3), BP-60PA - 250 Sheets (72.5gsm) Plain Paper (A4)

Consumables	
Inbox Consumables	Up to 2780 BK pages Up to 3500 C/M/Y pages Based on ISO 24711 pattern/normal
Standard Yield Ink	LC536BK up to 1000 pages each, LC536 C/M/Y up to 900 pages each Based on ISO 24711 pattern/normal
High Yield Ink	LC536XLBK up to 2500 pages each, LC536XL C/M/Y up to 1500 pages each Based on ISO 24711 pattern/normal
Super High Yield Ink	LC536XXLBK up to 5000 pages each, LC536XXL C/M/Y up to 2500 pages each Based on ISO 24711 pattern/normal
Weights & Measurements	
Size	576(W) x 477(D) x 305(H)mm
Weight	18.8 Kg without consumables 20.1 Kg with consumables
Size with Carton	681(W) x 576(D) x 434(H)mm
Weight with Carton	24.8 Kg
Environment	
Power Consumption	Copying: 31W, Printing: 27W, Ready: 5.5W, Sleep: 0.9W Off: 0.03W
Sleep Mode	Yes
Power Save	Yes
Other	
Noise Level	Sound Pressure Level: (Printing) Less than 54.5 dBA

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Disclaimers:

1. Download from Brother Solutions Centre,
2. Print speeds (ESAT) are measured in accordance with ISO/IEC 24734
3. Via Airprint or iPrint&Scan
4. Based on average monthly print volumes of approximately 200 pages in accordance with ISO/IEC 24711 using 4 cartridges provided in-box. For additional page yield information, see go.brother/pageyield

 youtube.com/user/BrotherAU/videos

 linkedin.com/company/brother-international-australia/



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

brother
at your side